

No. 25956/11/18
 Dt 09/10/2020

**MINUTES OF GRIEVANCE COMMITTEE MEETING
 FAISALABAD INSTITUTE OF CARDIOLOGY, FAISALABAD**

A meeting of Grievance Committee for product of Drug/Medicine & Sutures Items F.Y. 2020-21 was held on 06.10.2020 at 10:00AM in the Office of the Medical Superintendent, Faisalabad Institute of Cardiology, Faisalabad.

DRUG/MEDICINE AND SUTURES

1. M/s Ali Medical Store

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
5	BLOOD TRANSFUSION SET	Care	Xuyi Webset	1. Punjab Govt. experience not attached 2. Sample not provided	1. Punjab Govt. experience not attached 2. Sample provided	Refer back to TEC
14	COTTON CREPE BANDAGE 6" WIDE	Elastocrepe 15cmx4.5m	Essity Pakistan Ltd.	1. Poor Quality 2. Drug registration certificate not attached, 3. GMP certificate not attached 4. Punjab Govt. experience not attached	1. End User Reservation 2. Renewal application and challan form of DRC attached (15.07.2016). 3. GMP certificate not attached 4. Punjab Govt. experience of Services Hospital Attached (31.01.2018)	Rejected
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	UCI	Jiangxi Sanxin Medical Co. Ltd China	Drug registration certificate not attached,	Drug registration certificate not attached.	Rejected
18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	UCI	Jiangxi Sanxin Medical Co. Ltd China	Invalid Drug registration certificate attached,	Invalid Drug registration certificate attached (17.12.2012).	Rejected
19	DISPOSABLE SYRINGE 10CC WITH NEEDLE	UCI	Jiangxi Sanxin Medical Co. Ltd China	1. Not suitable for cath 2. Invalid Drug registration certificate attached	1. End User Reservation 2. Valid Drug registration certificate attached (17.12.2018)	Rejected
20	DISPOSABLE SYRINGE- 20CC WITH NEEDLE.	UCI	Jiangxi Sanxin Medical Co. Ltd China	Invalid Drug registration certificate attached,	Valid Drug registration certificate attached (17.12.2018)	Accepted
98	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML.	Hospital & Homecare	China	1. No past experience 2. Invalid Drug registration certificate attached	1. No past experience 2. Invalid Drug registration certificate attached (14.11.2011)	Rejected

(Signature)

(Signature)

2. M/s FYNK

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
60	INJ DOBUTAMINE (AS HCL) 250MG/5ML	BOTAMIN	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
83	INJ OMEPRAZOLE 40MG WITH WATER FOR INJECTION (AMP OF 10ML)	FYMEZOLE	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
96	INJ VANCOMYCIN (AS HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)	VANCOTECH	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
115	TAB ATENOLOL 100MG	KONDUCT	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
117	TAB BISOPROLOL 5MG	LORPOSIB	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
125	TAB DILTIAZEM-60MG	MYOZEM	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
128	TAB FRUSEMIDE 40MG + AMILORIDE 5MG-40/5MG	TRURIDE	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected
135	TAB LOSARTAN POTASSIUM 50MG	LOSARTAN	Fynk Pharmaceuticals Pakistan	No past Experience	End User Reservation	Rejected

3. M/s Cotton Craft (Pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
1	ABSORBENT CHEST GAUZE WITH X-RAY DETECTABLE THREAD 7.5 X 7.5 CM	Pro-Med X-Ray Gauze 7.5cm x 7.5cm 16Ply	Cotton Craft Pakistan	1. Invalid drug registration certificate attached 2. Apply for medical device registration	Application for renewal of Medical Devices attached (14.01.2020).	K.P.
3	ABSORBENT GAUZE PADS WITHOUT X-RAY THREAD 10X10CM (100/PACK)	Pro-Med X-Ray Gauze 10cm x 10cm 8Ply	Cotton Craft Pakistan	Sample not according to specs (X-Ray detectable provided)	Sample according to specs provided	Refer back to TEC

4. M/s Tahir Pharmacy

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
16	DISPOSABLE INSULIN SYRINGE-1CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances China	1.Invalid Drug Registration certificate attached 2. Apply for medical device	1.Renewal of Drug Registration certificate attached (30.09.2019) 2. Registration for Medical devices not attached	Rejected
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	Yushou Disposable Insulin	Wuxi Yushou Medical Appliance China	1. Not according to specs (Insulin syringe quoted) 2. Punjab govt. experience not attached	1. Not according to specs(Insulin syringe quoted) 2. Experience of Children hospital, Faisalabad attached	Rejected
18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	Yushou Disposable Insulin	Wuxi Yushou Medical Appliance China	1. Not according to specs (Insulin syringe quoted) 2. Punjab govt. experience not attached	1. Not according to specs(Insulin syringe quoted) 2. Experience of Children hospital, Faisalabad attached	Rejected
20	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	Yushou Disposable insulin	Wuxi Yushou Medical Appliance China	1. Not according to specs (Insulin syringe quoted) 2. Punjab govt. experience not attached	1. Not according to specs(Insulin syringe quoted) 2. Experience of Children hospital, Faisalabad attached	Rejected
21	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances China	1.Invalid Drug Registration certificate attached 2. Apply for medical device	1.Renewal of Drug Registration certificate attached (30.09.2019) 2. Registration for Medical devices not attached	K.P.
22	DISPOSABLE SYRINGE 60CC WITH CENTRAL NOZEL	Shifa	Changzhou Tongda Medical Appliances China	1.Invalid Drug Registration certificate attached 2. Apply for medical device	1.Renewal of Drug Registration certificate attached (30.09.2019) 2. Registration for Medical devices not attached	K.P.
37	INHALATIONAL ANESTHETIC ISOFLOURANE BOTTEL OF 100ML	Restane 100ml	Piramal Critical Care Inc.USA	Invalid GMP from Manufacturer attached	GMP certificate attached (FDA)	Accepted
96	INJ VANCOMYCIN (AS	Myvan Vial 500mg	Bio-Labs Pakistan	1. Punjab govt. experience not	1. Punjab govt. experience	Rejected

	HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)				attached 2. No past experience with this institute	not attached 2. End User Reservation	
111	TAB AMLODIPINE-5MG	Amdol	Bio-Labs Pakistan	1. Punjab govt. experience not attached 2. No past experience with this institute	1. Punjab govt. experience not attached 2. End User Reservation	Rejected	
116	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Orvast Tablets 20mg	Bio-Labs Pakistan	1. Punjab govt. experience not attached 2. No past experience with this institute	1. Punjab govt. experience not attached 2. End User Reservation	Rejected	
145	BLACK SILK 1 ,30/31MM 1/2C ROUND BODY NEEDLE	Wego 1/30mm/35mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	Poor Quality	End User Reservation	Rejected	
146	BLACK SILK 2/0 ,30MM 3/8C REVERSE/CURVED CUTTING 75CM	Wego 2/0 26mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	1. Not according to specs (quoted 26mm) 2. Poor Quality	1. Not according to specs (quoted 26mm) 2. End User Reservation	Rejected	
147	BLACK SILK NO.2 ,37MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc.Ltd Shandong/ China	1.Punjab govt experience not attached 2. Poor Quality	1.Punjab govt experience not attached 2. End User Reservation	Rejected	
148	BLACK SILK SIZE 3/0, WITH 24/26MM ROUND BODY NEEDLE	Wego 3/0 26mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	1. Poor Quality	End User Reservation	Rejected	
150	POLYPROPYLENE SIZE 3/0, 25MM/26MM DOUBLE ENDED NEEDLE	Wego 25/26mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	Poor Quality	End User Reservation	Rejected	
151	POLY PROPYLENE 4/0 ,16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc.Ltd Shandong/ China	1.Punjab govt experience not attached 2. Poor Quality	1.Punjab govt experience not attached 2. End User Reservation	Rejected	
152	POLYPROPYLENE 5/0, 16/17MM DOUBLE ENDED NEEDLE	Wego 5/0, 16/18mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	Poor Quality	End User Reservation	Rejected	
153	POLYPROPYLENE 6-0, 8-11MM DOUBLE ENDED NEEDLE	Wego 6/0 13mm	Foosin Medical Supplies Inc.Ltd Shandong/ China	1. Not according to specs (quoted 13mm) 2. Poor Quality	1. Not according to specs (quoted 13mm) 2. End User Reservation	Rejected	

5. M/s Atco Laboratories Limited

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
95	INJ TIROFIBAN HYDROCHLORIDE 12.5MG/50ML VIAL IN UNIT CARTON	Aggarastat 12.5 mg/50ml	CORREVIO Swizerland	1. GMP certificate not attached 2. License to import not attached	1. GMP certificate attached	Accepted

6. M/s Hakimsons (Pvt) Ltd

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
23	DRIP SET	MedSuyun	Suyun Medical China	Drug registration certificate not attached	Application for registration of medical device along with challan form attached (9-12-2019)	K.P.
98	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Foyomed 100ML	Foyomed Medical China	1. Poor Quality 2. Drug registration certificate not attached	1. End User Reservation 2. Application for registration of medical device along with challan form attached (11-05-2020)	Rejected

7. M/s Nisa Impex (pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
16	DISPOSABLE INSULIN SYRINGE- 1CC WITH NEEDLE	Nisa Insulin Syringe 1cc	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	Nisa Insulin Syringe 3cc	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected
18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	Nisa Insulin Syringe 5cc	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected

19	DISPOSABLE SYRINGE 10CC WITH NEEDLE	Nisa Insulin Syringe 10cc	Shifeng China	1. Not suitable for cath 2. Invalid Drug Registration Certificate attached	1. End User Reservation 2. Renewal application to DRAP along with challan form attached (2-09-2020), MDR not attached	Rejected
20	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	Nisa Insulin Syringe 20cc	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected
21	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Nisa Disposable Syringe 50cc (Luer lock)	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected
22	DISPOSABLE SYRINGE 60CC WITH CENTRAL NOZEL	Nisa Disposable Syringe 60cc irrigation	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (2-09-2020) MDR not attached	Rejected
23	DRIP SET	Nisa Disposable IV Set	Shifeng China	Invalid Drug Registration Certificate attached	Renewal application to DRAP along with challan form attached (01-09-2020), MDR not attached	Rejected

8. M/s Popular International

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
39	INJ ALBUMIN 20%	Uman Plasbumin	Kedrion S.P.A Italy	1. Invalid drug registration certificate attached 2. Invalid GMP attached 3. Validity of authority letter not mentioned on authority letter 4. No past experience with this institute	1. application of renewal of DRC along with challan form attached (9-10-2019) 2. Invalid GMP attached 3. Validity of authority letter not mentioned on authority letter 4. End User Reservation	Rejected
160	SURGICAL STEEL WIRES NO. 4	Steel 4.0 48mm	Medtronic Covidien	1. Invalid drug registration certificate 2. apply for medical device registration	1. Application for renewal of registration of sutures (06-07-2020) attached 2. MDR not attached	K.P.

161	SURGICAL STEEL WIRE NO. 5	Steel 5.0 48mm	Medtronic Covidien	Invalid drug registration certificate apply for medical device registration	1. Application for renewal of registration of sutures (06-07- 2020) attached 2. MDR not attached	K.P.
-----	------------------------------	----------------	--------------------	---	---	------

9. M/s SiTEch Pharmaceuticals (Pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
54	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	Omnipaque	GE HEALTH CARE Ireland	License to import not attached	License to import attached	Accepted

10. M/s Wimits Pharmaceuticals (Pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
12	CAP OMEPRAZOL- 20MG	Cap Oray 20mg	Wimits Pharmaceuticals Pakistan	No past experience	End User Reservation	Rejected
108	SYP SUCRALFATE 60 ML 1G/5ML	Wimfate 60ml	Wimits Pharmaceuticals Pakistan	No past experience	End User Reservation	Rejected
123	TAB CLOPIDOGREL- 75MG	Wascorel 75mg	Wimits Pharmaceuticals Pakistan	No past experience	End User Reservation	Rejected

11. M/s Grace Pharmaceuticals

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	1. Invalid Drug Registration Certificate 2. No past experience with this institute 3. Punjab govt experience not attached	1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 3. Experience of Ganga ram hospital attached	Rejected

18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	<ol style="list-style-type: none"> 1. Invalid Drug Registration Certificate 2. No past experience with this institute 3. Punjab govt experience not attached 	<ol style="list-style-type: none"> 1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 3. Experience of Govt Kot khawaja saeed hospital lhr attached 	Rejected
19	DISPOSABLE SYRINGE 10CC WITH NEEDLE	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	<ol style="list-style-type: none"> 1. Invalid Drug Registration Certificate 2. No past experience with this institute 3. Punjab govt experience not attached 4. Not suitable for cath 	<ol style="list-style-type: none"> 1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 3. Experience of Govt Kot khawaja saeed hospital lhr attached, Ganga Ram Lhr attached 4. End User Reservation 	Rejected
20	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	<ol style="list-style-type: none"> 1. Invalid Drug Registration Certificate 2. No past experience with this institute 3. Punjab govt experience not attached 	<ol style="list-style-type: none"> 1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 3. Experience of Children Hospital Lhr attached 	Rejected
21	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	<ol style="list-style-type: none"> 1. Invalid Drug Registration Certificate 2. No past experience with this institute 3. Punjab govt experience not attached 	<ol style="list-style-type: none"> 1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 3. Experience of Ganga Ram, Mayo Hospital Lhr, Govt Kot khawaja saeed hospital Lhr attached 	Rejected
22	DISPOSABLE SYRINGE 60CC WITH CENTRAL NOZEL	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	<ol style="list-style-type: none"> 1. Invalid Drug Registration Certificate 2. No past experience with this institute 	<ol style="list-style-type: none"> 1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation 	Rejected

23	DRIP SET	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	1. Invalid Drug Registration Certificate 2. No past experience	1. renewal application along with challan form attached (26-08-2019), MDR not attached 2. End User Reservation	Rejected
54	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	loxican 350mg/ml	Jodas Expoin Pvt. Ltd.	1. Market experience less than one year from date of registration 2. Invalid GMP certificate attached 3. Sample not provided	.Market experience less than one year from date of registration 2. Invalid GMP certificate attached 3. Sample not provided	Rejected
98	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Alpha	Jiangxi Hongda Medical Equipment Group Ltd. China	Not good quality	End User Reservation	Rejected

12. M/s Hiranis Pharmaceuticals

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
122	TAB CIPROFLOXACIN 500MG	Zolina	Hiranis Pharmaceuticals Pakistan	1. Invalid GMP Certificate attached 2. Punjab Govt. experience not attached 3. No past experience	1. Application for renewal of GMP along with challan form attached (14-07-2020) 2. Punjab Govt. experience not attached 3. End User Reservation	Rejected

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

133	TAB LEVOFLOXACIN 500MG	Olevo	Hiranis Pharmaceuticals Pakistan	1. Invalid GMP Certificate attached 2. Punjab Govt. experience not attached 3. No past experience	1. application for renewal of GMP along with challan form attached (14-07-2020) 2. Experience of Allied Hospital. Fsd attached 3. End User Reservation	Rejected
-----	---------------------------	-------	--	---	---	----------

13. M/s Husnain Pharma

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
3	ABSORBENT GAUZE PADS WITHOUT X-RAY THREAD 10X10CM (100/PACK)	Medi Gauze (Pack of 100)	Kohinoor Industries Pakistan	Drug registration certificate not attached	Application for renewal along with challan form attached (10-01-2018)	Accepted
5	BLOOD TRANSFUSION SET	Unison	Weifang Kawa Medical Products	1. Drug registration certificate not attached 2. Authority letter not attached	1. Invalid DRC attached, MDR not attached 2. valid Authority letter attached	Rejected
13	COTTON BANDAGE BPC-10CM X 6M (Pack of 12)	Kohinoor Surgical Bandage BPC	Kohinoor Industries/ Pakistan	Drug registration certificate not attached	Application for renewal along with challan form attached (08-01-2020)	Accepted
14	COTTON CREPE BANDAGE 6" WIDE	Kohinoor Elastic Bandage	Kohinoor Industries/ Pakistan	Drug registration certificate not attached	Application for renewal along with challan form attached (17-08-2017)	Accepted
15	COTTON GAUZE ROLL	Kohinoor Absorbent Gauze 100CM X 30M	Kohinoor Industries	Drug registration certificate not attached	Drug registration certificate not attached	Rejected
82	INJ NORADRENALINE 4MG/4ML	Norephed	MTI Medical Pvt Ltd/Pakistan	Drug registration certificate not attached	Drug registration certificate attached (18-09-2017)	Accepted

(Handwritten signatures and initials)

94	INJ TEICoplanine 200MG WITH WATER FOR INJECTION (AMP OF 5ML)	Tyclan	MTI Medical Pvt Ltd/Pakistan	Punjab experience not attached	Punjab experience not attached	Rejected
96	INJ VANCOMYCIN (AS HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)	Vinvin	MTI Medical Pvt Ltd/Pakistan	No past experience with this institute	End User reservation	Rejected
102	POVIDONE - IODINE SOLUTION-10%-W/V	Prodine Solution	Kohinoor Industries/ Pakistan	Drug registration certificate not attached	Application for renewal along with challan form attached (29-11-2018)	Accepted
122	TAB CIPROFLOXACIN 500MG	Cyto	MTI Medical Pvt Ltd/Pakistan	1. Drug registration certificate not attached 2. Punjab experience not attached	1. Renewal of DRC attached (27-12-2019) 2. Punjab experience not attached	Rejected
133	TAB LEVOFLOXACIN 500MG	Lofamin	MTI Medical Pvt Ltd/Pakistan	1. Drug registration certificate not attached 2. Punjab experience not attached	1. Renewal of DRC attached (27-12-2019) 2. Punjab experience not attached	Rejected

14. M/s Unisa (pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	Uniject	Unisa Pvt. Ltd. Pakistan	1. Sufficient Punjab Govt. experience not attached 2. Poor quality	1. Experience of Aziz shaheed Bhatti hospital Gujrat attached 2. End User reservation	Rejected
18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	Uniject	Unisa Pvt. Ltd. Pakistan	Poor Quality	End User reservation	Rejected
19	DISPOSABLE SYRINGE 10CC WITH NEEDLE	Uniject	Unisa Pvt. Ltd. Pakistan	1. Poor Quality 2. Punjab Govt. experience not attached 3. Not suitable for cath	1. End User reservation 2. Punjab Govt. experience not attached 3. End User reservation	Rejected
23	DRIP SET	Uniset	Unisa Pvt. Ltd. Pakistan	Poor Quality	End User reservation	Rejected

15. M/s Mega Pharmaceuticals Limited

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
115	TAB ATENOLOL 100MG	ATL 100mg	Mega Pharmaceuticals Ltd.	Invalid Drug registration certificate attached	Application for renewal along with challan form attached (20-03-2020)	Accepted
116	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Megavastin 20mg	Mega Pharmaceuticals Ltd.	Invalid Drug registration certificate attached	Application for renewal along with challan form attached (20-03-2020)	Accepted

16. M/s M&P Pakistan (Pvt)Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
51	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Neogene 1gm	AGP, Ltd Karachi	1. Drug registration certificate not attached on name of M/s. AGP Ltd. 2. Apply for renewal of Drug manufacturing license (DML) by M/s AGP Ltd. after validity of license 3. Authority letter not attached	1. Application for name change from of M/s. AGP Private to of M/s. AGP Ltd. attached (11-12-2017) 2. Renewal of DML attached (08-09-2019), Previous DML expire on (06-02-2020) 3. valid authority letter	Accepted
69	INJ INSULINE 100 IU/ML REGULAR	Actrapid 100HM	Novo Nordisk SAS, France Denmark	1. GMP certificate invalid attached 2. Authority letter from M/s Novo Nordisk to M/s Muller & Phipps not attached	1. Valid GMP certificate attached 2. valid authority letter attached	Accepted
70	INJ INSULINE 100IU/ML 70/30	Mixtard 30MH	Novo Nordisk SAS, France Denmark	1. GMP certificate invalid attached 2. Authority letter from M/s Novo Nordisk to M/s Muller & Phipps not attached	1. valid GMP certificate attached 2. valid authority letter attached	Accepted
105	SUSP CEFIXIME 100MG/5ML POWDER FOR 30ML SUSPENSION	Cinklare 100mg/5ml (30ml)	AGP, Ltd Karachi	GMP certificate for suspension (antibiotic) not attached 2. Authority letter not attached 3. Apply for renewal of Drug manufacturing license (DML)	1. GMP certificate attached 2. valid authority letter attached 3. Renewal of DML attached (08-09-2019), Previous DML expire on (06-02-2020)	Accepted

(Handwritten signatures and initials)

					by M/s AGP Ltd. after validity of license			
117	TAB BISOPROLOL 5MG	Bispa 5mg	ASPIN, karachi		<ol style="list-style-type: none"> 1. Drug registration certificate on the name of M/s Aspin not attached 2. Authority letter not attached 3. GMP certificate invalid attached 4. Drug manufacturing license of M/s Aspin pharma invalid 	<ol style="list-style-type: none"> 1. Affidavit of agreement between M/S Aspin and M/S AGP Ltd. attached 2. authority letter with discrepancy in validity attached 3. Valid GMP certificate attached 4. Renewal of DML attached (18-05-2020) 	Rejected	
122	TAB CIPROFLOXACIN 500MG	Algocin 500mg	AGP, Ltd Karachi		<ol style="list-style-type: none"> 1. Drug registration certificate not attached on name of M/s. AGP Ltd. 2. Apply for renewal of Drug manufacturing license (DML) by M/s AGP Ltd. after validity of license 3. Authority letter not attached 	<ol style="list-style-type: none"> 1. Application for name change from of M/s. AGP Private to of M/s. AGP Ltd. attached (11-12-2017) 2. Renewal of DML attached (08-09-2019), Previous DML expire on (06-02-2020) 3. valid authority letter 	Accepted	
126	TAB DOMPERIDONE 10MG	Motilium	ASPIN, Belgium		<ol style="list-style-type: none"> 1. Drug manufacturing license of M/s Aspin pharma invalid 2. GMP certificate invalid attached 3. Drug registration certificate invalid attached 4. Authority letter not attached 	<ol style="list-style-type: none"> 1. Application for Renewal of DML attached (18-05-2020) 2. Valid GMP attached 3. Application for renewal attached (17-03-2020) 4. authority letter with discrepancy in validity attached 	Rejected	
140	PARACETAMOL + ORPHENADRINE (650MG + 50MG)	Sinaxamol Extra 650mg/50mg	AGP, Ltd Karachi		<ol style="list-style-type: none"> 1. Drug registration certificate not attached on name of M/s. AGP Ltd. 2. Apply for renewal of Drug manufacturing license (DML) by M/s AGP Ltd. after validity of license 3. Authority letter not attached 	<ol style="list-style-type: none"> 1. Application for name change from of M/s. AGP Private to of M/s. AGP Ltd. attached (11-12-2017) 2. Renewal of DML attached (08-09-2019), Previous DML expire on (06-02-2020) 3. valid authority letter 	Accepted	

[Handwritten marks]

[Handwritten signature]

17. M/s New Omni Traders

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
68	INJ IMIPENEM + CILASTATIN 500MG WITH WATER FOR INJECTION (AMP OF 10ML)	Direto 500mg	S.J & G Fazal Ellahie	1. Drug manufacturer license is going to expire on 25/09/2020	Application for renewal of DML along with challan form attached (14-09-2020)	Accepted
83	INJ OMEPRAZOLE 40MG WITH WATER FOR INJECTION (AMP OF 10ML)	Vify 40mg	S.J & G Fazal Ellahie	1. Invalid Drug Registration certificate attached 2. Drug manufacturer license is going to expire on 25/09/2020	1. Application for renewal of DRC along with challan form attached (20-04-2020) 2. Application for renewal of DML along with challan form attached (14-09-2020)	Accepted
96	INJ VANCOMYCIN (AS HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)	Maparix 500mg	S.J & G Fazal Ellahie	1. Invalid Drug Registration certificate attached 2. Drug manufacturer license is going to expire on 25/09/2020	1. Application for renewal of DRC along with challan form attached (04-09-2018) 2. Application for renewal of DML along with challan form attached (14-09-2020)	Accepted

18. M/s Tanveer Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
39	Inj. Albumin 20%	Human Albumin 50 ml	Biotest, Germany	Invalid DRC attached	Application of renewal of DRC attached (14-09-2020)	Accepted
43	INJ ATRACURIUM BESYLATE 10MG/ML	Relocurium 2.5ml/3ml	Bajwa, Pakistan	No past experience	End user reservation	Rejected
54	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	Kopaq 350mg/ml 100ML	Onco Ilac Sanayi ve Ticaret A.S./Punjab Medical Services, Turkey	License to import not attached	license to import attached	Accepted

63	INJ FRUSEMIDE 20MG/2ML	Frusemide 2ML	Bajwa, Pakistan	Invalid Drug registration certificate attached	Application for renewal of DRC attached (06-05-2020)	Accepted
75	INJ LIGNOCAIN 2% W/V 10ML WITHOUT ADRENALINE	Baligno 10ml	Bajwa, Pakistan	1. Invalid drug registration certificate attached 2. No past experience with this institute	1. Application for renewal of DRC attached (06-05-2020) 2. End user reservation	Rejected
99	NEBULES IPRATROPIUM BROMIDE 0.25 MG/ML AMP OF 2ML	Atem 2ml	Chiesi, Itlay	Drug registration certificate not attached	Application for renewal of DRC attached (04-11-2019)	Accepted
100	NEBULES, BECLOMETHASONE 800 MCG	Clenil 2ml	Chiesi, Itlay	Drug registration certificate not attached	Application for renewal of DRC attached (30-12-2019)	Accepted
133	TAB LEVOFLOXACIN 500MG	Leflox 500mg	Getz, Pakistan	Invalid drug registration certificate attached	Application for renewal of DRC attached (09-07-2020)	Accepted
147	BLACK SILK NO.2 ,37MM 1/2C ROUND BODY NEEDLE	TruSilk	Yancheng Huida Medical Instruments/bajwa Sons China	1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Poor quality	1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation	Rejected
148	BLACK SILK SIZE 3/0, WITH 24/26MM ROUND BODY NEEDLE	TruSilk	Yancheng Huida Medical Instruments/bajwa Sons China	1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Poor quality	1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation	Rejected
150	POLYPROPYLENE SIZE 3/0, 25MM/26MM DOUBLE ENDED NEEDLE	Trulene	Yancheng Huida Medical Instruments/bajwa Sons China	1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Prolene shreds while tying the knote	1. . Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06- 2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation	Rejected

[Handwritten signatures]

[Handwritten signature]

151	POLY PROPYLENE 4/0, 16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Trulene	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Prolene shreds while tying the knot 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected
152	POLYPROPYLENE 5/0, 16/17MM DOUBLE ENDED NEEDLE	Trulene	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Prolene shreds while tying the knot 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected
153	POLYPROPYLENE 6-0, 8-11MM DOUBLE ENDED NEEDLE	Trulene	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Prolene shreds while tying the knot 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected
154	POLYPROPYLENE 7-0, 8-9.3MM 1/2C DOUBLE ENDED NEEDLE	Trulene	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Prolene shreds while tying the knot 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected
157	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Trucryl	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Rough needle 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected
158	POLYGLACTIN 1, 40MM 1/2C ROUND BODY NEEDLE	Trucryl	Yancheng Huida Medical Instruments/bajwa Sons China	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Sufficient Punjab govt experience not attached 3. Rough needle 	<ol style="list-style-type: none"> 1. Application to MDB (Medical device board) for enlistment and challan form for renewal attached (01-06-2020) 2. Sufficient Punjab govt experience not attached 3. End user reservation 	Rejected

(Handwritten signatures and initials)

19. M/s Wilshire Laboratories (Pvt) Ltd.

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
96	Inj. Vancomycine 500 mg	Zalpax	Wilshire Laboratories Pakistan	No Past experience with this institute	End user reservation	Rejected
116	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Lastolip	Wilshire Laboratories Pakistan	Invalid Drug registration attached	Application for renewal of DRC attached (22-02-2019)	Accepted
120	TAB CARVEDALOL 6.25MG	Otello	Wilshire Laboratories Pakistan	Invalid Drug registration attached	Application for renewal of DRC attached (30-01-2020)	Accepted
123	TAB CLOPIDOGREL-75MG	Flexiflow	Wilshire Laboratories Pakistan	1. Invalid Drug registration attached 2. No experience with this institute 3. Sufficient Punjab govt experience not attached	1. Application for renewal of DRC attached (22-02-2019) 2. End user reservation 3. Punjab govt. experience of AHF Fsd, Mayo Hosp Lhr, Nishtar Hosp Multan, Shaikh Zayed Hosp Lhr, BVH attached.	Rejected

20. M/s Sanofi Aventis


Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
51	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Aventriax 1gm	Sanofi Aventis Pakistan	GMP certificate not attached	GMP certificate attached	Accepted
62	INJ ENOXAPRIN SODIUM 60MG/0.6ML	Clexane 60mg	Sanofi Aventis France	GMP certificate not attached	GMP certificate attached	Accepted
94	INJ TEICoplanine 200MG WITH WATER FOR INJECTION (AMP OF 5ML)	Targocid 200mg	Sanofi Aventis	GMP certificate not attached	GMP certificate attached	Accepted

(Handwritten signatures and initials)

110	TAB AMIODARONE HCL 200MG BLISTER PACK/STRIPS	Cordarone 200mg	Sanofi Aventis	GMP certificate not attached	GMP certificate attached	Accepted
127	TAB FRUSEMIDE 40MG	Lasix 40mg	Sanofi Aventis	GMP certificate not attached	GMP certificate attached	Accepted
128	TAB FRUSEMIDE 40MG + AMILORIDE 5MG- 40/5MG	Lasoride	Sanofi Aventis	GMP certificate not attached	GMP certificate attached	Accepted
130	TAB GLIBANCLAMIDE- 5MG	Daonil 5mg	Sanofi Aventis Pakistan	GMP certificate not attached	GMP certificate attached	Accepted

21. M/s Friends Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
12	CAP OMEPRAZOL- 20MG	Omecap 20MG	Next Pharmaceuticals, Pakistan	1. Poor quality 2. GMP certificate not attached	1. End User reservation 2. GMP certificate attached (08-07-19)	Rejected
17	DISPOSABLE SYRINGE 3CC WITH NEEDLE	BD	BD, Singapore	Validity on authority letter not mentioned	Validity on authority letter not mentioned (Financial year 2020-2021) mentioned	Accepted
18	DISPOSABLE SYRINGE 5CC WITH NEEDLE	BD	BD, Singapore	Validity on authority letter not mentioned	Validity on authority letter not mentioned (Financial year 2020-2021) mentioned	Accepted
19	DISPOSABLE SYRINGE 10CC WITH NEEDLE	BD	BD, Singapore	Validity on authority letter not mentioned	Validity on authority letter not mentioned (Financial year 2020-2021) mentioned	Accepted
40	INJ AMIKACIN 500MG/2ML (VIAL IN UNIT CARTON)	Amak 500MG	Hudson Pharma, Pakistan	No past experience with this institute	End User reservation	Rejected
49	INJ CEFOPERAZONE + SALBACTUM 2GM WITH WATER FOR INJECTION (2AMP OF 10ML)	Deezon Plus 2G	Shaigan Pharmaceuticals, Pakistan	No past experience with this institute	End User reservation	Rejected

67	INJ HYDROCORTISONE SODIUM. SUCCINATE 250MG WITH WATER FOR INJECTION (AMP OF 5ML)	Hy-Cortisone 250mg with WFI	ICI, Pakistan	<p>1. Validity on authority letter not mentioned</p> <p>2. Invalid Drug manufacturer license attached</p> <p>3. GMP certificate not attached</p>	<p>1. Valid authority letter attached</p> <p>2. Application for renewal of DML attached (21-07-2020)</p> <p>3. valid GMP attached (14-04-2020)</p>	Accepted
68	INJ IMIPENEM + CILASTATIN 500MG WITH WATER FOR INJECTION (AMP OF 10ML)	Stanem 500mg	ICI, Pakistan	<p>1. Validity on authority letter not mentioned</p> <p>2. Invalid Drug manufacturer license attached</p> <p>3. GMP certificate not attached</p>	<p>1. Valid authority letter attached</p> <p>2. Application for renewal of DML attached (21-07-2020)</p> <p>3. valid GMP attached (14-04-2020)</p>	Accepted
81	INJ NALBUPHINE HCL 10MG/ML	Kolbi 1ML	Caraway Pharmaceuticals, Pakistan	Sample not provided	Sample provided	Refer back to TEC
87	INJ PIPRACILLIN 4G + TAZOBACTAM 500MG WITH WATER FOR INJECTION VIAL IN UNIT CARTON (2AMP OF 10ML)	Tazopip 4.5G	ICI, Pakistan	<p>1. Drug manufacturer license invalid</p> <p>2. GMP not attached</p> <p>3. Validity of authority letter not mentioned</p>	<p>1. Application for renewal of DML attached (21-07-2020)</p> <p>2. valid GMP attached (14-04-2020)</p> <p>3. Valid authority letter attached</p>	Accepted
98	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML	JMS 100ml	JMS Singapore	<p>1. In authority letter from JMS singapore to S.J Euddin Burret 100ml not mentioned</p> <p>2. Invalid free sale certificate attached</p> <p>3. Invalid Drug registration certificate attached apply for medical registration certificate</p>	<p>1. In authority letter from JMS singapore to S.J Euddin Burret, 100ml not mentioned</p> <p>2. Invalid free sale certificate attached</p> <p>3. Application for renewal of DRG attached (06-11-2017), MDR not attached</p>	 K.P.
99	NEBULES IPRATROPIUM BROMIDE 0.25 MG/ML AMP OF 2ML	Easehale 2ml	Hudson Pharma, Pakistan	Poor quality	End User reservation	Rejected


(Handwritten signatures and initials)


111	TAB AMLODIPINE-5MG	M-Low 5mg	Scilife Pakistan	1. Punjab govt teaching institutes experience not attached	Punjab govt teaching institutes experience not attached	Rejected
116	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Lochol 20mg	Scilife, Pakistan	Punjab govt teaching institutes experience not attached	Experience of Sheikh zaid, RYK and WIC attached	Accepted
123	TAB CLOPIDOGREL-75MG	Lowplat 75mg	PharmEvo, Pakistan	1. Invalid GMP certificate attached 2. Renewal of GMP application attached without sign & stamp of DRAP	valid GMP attached (17-09-2020)	Accepted
127	TAB FRUSEMIDE 40MG	G-Mide 40mg	Glitz, Pakistan	Validity on authority letter not mentioned	Valid Authority letter attached	Accepted
135	TAB LOSARTAN POTASSIUM 50MG	Tansin 50mg/2ml	PharmEvo, Pakistan	1. Not according to specs (specs of inj. quoted) 2. Renewal of GMP application attached without sign & stamp of DRAP	1. Affidavit provided 2. valid GMP attached (17-09-2020)	Accepted


22. M/s Friends Enterprises


Sr. #	Description	Firm Grievance	GC Observation	Remarks
1	Grievance against M/s Husnain Pharma	<ul style="list-style-type: none"> The firm claims that the Povidone iodine solution 450 ml by M/S Kohinoor industries Sahiwal No cGMP from last 3 years Not technically approved by any teaching hospital Market availability is zero 	<ul style="list-style-type: none"> Valid cGMP The firm M/s Husnain Pharma provided the supply order of FIC, FSD. 	Rejected
2	Grievance against M/s Husnain Pharma	The firm claims that the MTI products do not have any cardiac institutional experience	MTI products have relevant teaching hospital experience attached There is end user's satisfaction on these products. The firm provided the experience certificate	Rejected


3	Grievance against M/s Husnain Pharma	The firm claims that the microburrete set 100 ml of classic does not have DRC	DRC not attached	K.P.
---	---	--	------------------	------



Ms. Aisha Sultana,
Pharmacist,
FIC, Faisalabad.


Mrs. Iqra Munir,
Pharmacist,
FIC, Faisalabad.


Engr. Touqir Nisar,
Bio Medical Engineer,
FIC, Faisalabad.


Dr. Shahbaz Ahmed,
Associate Prof. of Cardiac Surgery,
FIC, Faisalabad.


Dr. Shahid Abbas,
Associate Prof. of Cardiology,
FIC, Faisalabad.


Dr. Zafar Abbas Khan,
Medical Superintendent,
FIC, Faisalabad.

C-17 2020